

SENSORS

Schneider Gelectric











SPECIFICATION

| Part Number |
|-----------------|
| Technology |
| Detection Range |
| Angle |
| Usage |
| Channel |
| Installation |
| |

| CCT56P | 002 | | |
|--------------|-----------------|--|--|
| PIR 2.5 X 8m | | | |
| 8 m | 2.5 m | | |
| 360° | | | |
| Indoor | IP20 | | |
| Light | Ŷ | | |
| Ceiling | Surface Mounted | | |
| | | | |

| Part Number |
|-----------------|
| Technology |
| Detection Range |
| Angle |
| Usage |
| Channel |
| Installation |

| - | CCT56P004 |
|---|---------------|
| - | PIR 2.5 X 12m |
| - | 2.5 m |
| _ | 120° |
| - | Indoor 籋 |
| - | Light 💡 |
| - | Wall Mounted |
| - | |

| Part Number |
|-----------------|
| Technology |
| Detection Range |
| Angle |
| Usage |
| Channel |
| Installation |
| |

| CCT551011 | | | |
|---------------------------------------|--|--|--|
| Dual PIR 2.5 X 8m + Ultrasonic 10X16m | | | |
| 8 m | | | |
| 360° | | | |

| 500 | | |
|---------|-----------------|--|
| Indoor | IP20 | |
| Light | Ŷ | |
| Ceiling | Surface Mounted | |

Channel Installation

| CCT570005 | | | | |
|--------------|--|--|--|--|
| PIR 2.5 X 8m | | | | |

| 2.5 m | | | |
|---------|---------------|--|--|
| 360° | | | |
| Indoor | IP20 | | |
| Light | Ŷ | | |
| Ceiling | Flush Mounted | | |

| MTN565219 |
|----------------------|
| PIR 2.5 X 12m |
| 2.5 m |
| 220° |
| Indoor & Outdoor 🛛 👸 |
| Light 🛛 🖗 |
| Wall: Wall Mounted |
| |

For detail, visit **www.reforce.ae**



SENSORS

Schneider Gelectric





La legrand®







| SP | ECI | FI | CA. | τιο | Ν |
|----|-----|-----------|-----|-----|---|

| Part Number | CCT551023 Microwave - 2ch for High Bay |
|-----------------|-----------------------------------------|
| Technology | Microwave |
| Detection Range | ht 2m - 5mX14m ht 5m-10m X10m |
| Angle | 360° |
| Usage | Indoor 🧯 |
| Channel | Light 💡 |
| Installation | Ceiling Flush Mounted / Surface Mounted |

| Part Number |
|-----------------|
| Technology |
| Detection Range |
| Angle |
| Usage |
| Channel |
| Installation |

| CCT5570003 | | |
|----------------|-----|-------|
| Dual Tech -2ch | PIR | 2.5 X |

Dual Tech -2ch PIR 2.5 X 8m & Ultrasonic 10X16m

| | 2.5 m |
|------|-------|
| 8 m | |
| 360º | |

Indoor IP20

Light/HVAC 💡 💧

Ceiling Flush Mounted / Surface Mounted

| Part Number | |
|-----------------|--|
| Technology | |
| Detection Range | |
| Angle | |
| Usage | |
| Channel | |
| Installation | |

Part Number Technology

Detection Range

Angle Usage Channel Installation

| 48941 | | | |
|-------|---------|---------------|--|
| | PIR 2.5 | X 8m | |
| | 8 m | 2.5 m | |
| 360° | | | |
| | Indoor | IP20 | |
| | Light | \mathbb{P} | |
| | Ceiling | Flush Mounted | |
| | | | |

| 48948 | |
|---------|-----------------|
| PIR 2.5 | X 8m |
| 8 m | 2.5 m |
| 360º | |
| Indoor | IP20 |
| Light | Ŷ |
| Ceiling | Surface Mounted |
| | |

| Part Number | 48943 |
|-----------------|--------------|
| Technology | PIR 2.5 X 8m |
| Detection Range | 2.5 m |
| Angle | 360° |
| Usage | Indoor 🎯 |
| Channel | Light 🛛 😰 |
| Installation | Wall Mounted |



SENSORS

La legrand[®]













SPECIFICATION

Channel Installation

Part Number Technology

Part Number Technology

Detection Range

Angle Usage Channel Installation

Angle Usage Channel Installation

Detection Range

| 48942 | | | | |
|--------------|----------|--|--|--|
| PIR 2.5 > | (8m | | | |
| 2.5 m | | | | |
| 140° | | | | |
| Indoor | ip 40 | | | |
| Light | 8 | | | |
| Wall Mounted | | | | |
| | | | | |

| Part Number |
|-----------------|
| Technology |
| Detection Range |
| Angle |
| Usage |
| Channel |
| Installation |

| 48959 High Bay | | |
|-------------------------|---|--|
| PIR 20 X 40m | | |
| 20 m | | |
| 360° | | |
| Indoor & Outdoor 3 | | |
| Light 🛛 🖗 | _ | |
| Ceiling Surface Mounted | | |

| DT-355 (5 years Company Warranty) |
|--------------------------------------------|
| Dual Tech PIR 2.5 X 8m & Ultrasonic 11X11m |
| 25 m |
| 360° |
| Indoor IP20 |
| Light 💡 |
| Ceiling Flush Mounted |

| CI-355 | (5 years Company Warranty) |
|-------------|----------------------------|
| PIR 2.5 > | K 13m |
| 13 m | 2.5 m |
| 360º | |
| Indoor | IP20 |
| Light | Ŷ |
| Ceiling | Flush Mounted |

| Part Number | W-1000A (5 years Company Warranty) |
|-----------------|------------------------------------|
| Technology | Ultrasonic |
| Detection Range | 24ft X 40ft |
| Angle | 360° |
| Usage | Indoor IP20 |
| Channel | Light 💡 |
| Installation | Ceiling Surface Mounted |

For detail, visit www.reforce.ae



SENSORS

:hager









SPECIFICATION

| Part Number | EE820 |
|------------------|---------------------------------|
| Technology | PIR 2.5 X 16m |
| Detection Range | 2.5 m |
| Angle | 140° |
| Usage | Indoor & Outdoor 🅁 |
| Channel | Light 🛛 😰 |
| Installation | Wall Mounted |
| Usage Channel | Indoor & Outdoor 🅁 Light 🛛 💡 |

| Part Number | |
|-----------------|--|
| Technology | |
| Detection Range | |
| Angle | |
| Angle | |
| Usage | |
| | |

| | PIR: 4 X | 6m |
|---|----------|-----------------|
| _ | 6 m | 4 m |
| - | 360° | |
| _ | Indoor | ip 40 |
| _ | Light | Ŷ |
| | Ceiling | Surface Mounted |
| _ | | |

| Part Number | EE805 |
|-----------------|-----------------------|
| Technology | PIR: 4 X 6m |
| Detection Range | 4 m |
| Angle | 360° |
| Usage | Indoor 🐰 |
| Channel | Light 💡 |
| Installation | Ceiling Flush Mounted |
| | |

EE804

| Part Number | EE883 - HF |
|-----------------|-------------------------|
| Technology | Microwave |
| Detection Range | 4m X 8m |
| Angle | 360° |
| Usage | Indoor & Outdoor 😽 |
| Channel | Light 💡 |
| Installation | Ceiling Surface Mounted |





Pre wired

Flow

Connector









Fixed Integrated LED Downlight Dimmable as standard





IP65

FIXED

Pre wired alaw

Connector



Finish