


Premium Decorative Wiring Accessories





Deco[®] Plus unique product codes

When ordering any Deco Plus® products, please specify the required finish by following the simple code structure as demonstrated here...



Premium Decorative Wiring Accessories

Contents

New Features	b7	accessories is nov	
Switches	b10	brand that is syno	
Back Boxes	b19	quality and unpre	
Power Socket Outlets	b22	The smooth conte	
Socket & Blank Plates	b23	available in seven	
13A Fused Connection Units	b24	Each product is su distinctive printed	
Control Switches	b26	Deco Plus® switch	
Telephone & Data Sockets	b30	our moulded rang	
TV & Satellite	b31	MiniGrid® brochur	
New Media™ Plates	b33	on Deco Plus® ac	
Yokes & Back Boxes	b34	All Deco Plus® 13/	

mprehensive range of premium decorative metal wiring w available under the Deco Plus® brand. A onymous with high specification, exceptional

- ecedented value.
- emporary curves of the Deco Plus® range are n finishes to complement any room.
- supplied individually packaged in its own d box complete with full fitting instructions.
- hes feature the same modular switch design as ges. All of the switch modules featured in our ure can therefore be used in any combination ccessories.
- 3A sockets and fused connection units are tested and approved to BS1363 offering assured quality and safety.

All Deco Plus® products featured in the pages of this brochure are available in seven distinctive quality finishes. *UK Design Registration 3015621.

All Deco Plus® products are available with black or white inserts, excluding antique brass and black nickel finishes, which are supplied with black insert and gasket only.



Antique Brass*

(AB)

Black Nickel

(BN)



Satin Brass*

(SB)














Satin Chrome*





Stainless Steel

(CH)





New Features

...plus so much more

Attention to detail has been at the forefront of the design process for our newest range of wiring accessories. All aspects, no matter how small, have been taken into account and collectively create the elegant style that characterises Deco Plus[®].






Every accessory within the range which contains a neon now has an insert surrounding the lens of the neon.



An attractive feature added to the Deco Plus[®] range is the profile of the cooker sockets. Instead of the traditional T-bar shape, our new range matches the profile of our ingot sockets.





- MODULAR INGOT PLATE SWITCHES
- TOGGLE SWITCHES
- DIMMER SWITCHES

All Deco Plus[®] switches are supplied complete with requisite switch module(s). However, should local conditions dictate, the installer may customise a switch arrangement by substituting switch modules by means of a simple, single fixing screw.

A comprehensive range of available modules is illustrated in our dedicated MiniGrid[®] brochure.

Unfurnished mounting plates can be ordered separately and furnished with whatever selection of switch modules may be required.

MINIGRID

Please see page j18 for a election of MiniGrid® modules.

All Deco Plus[®] switch plates are modular as standard, allowing you to create virtually any switch plate you require.





0

-

472

b11

Ś

 \bigcap

b10







413





414

MINIGRID[®] For interchangeable MiniGrid[®] Modules please see page j18.

Ingot Plates Switches - MiniGrid®

- 411 10AX Ingot 1 Gang 2 Way Plate Switch
- 10AX Ingot 2 Gang 2 Way Plate Switch 412
- 413 10AX Ingot 3 Gang 2 Way Plate Switch
- 414 10AX Ingot 4 Gang 2 Way Plate Switch 416 10AX Ingot 6 Gang 2 Way Plate Switch

412

425

425



9

403

1

406









404

0 C 426

MINIGRID® For interchangeable MiniGrid® Modules please see page j18. For the complete range of MiniGrid® modules please see our dedicated MiniGrid® section.

Unfurnished Plates - MiniGrid®

401 1 Gang MiniGrid® Unfurnished Plate - 1 Aperture

0

- 402 1 Gang MiniGrid[®] Unfurnished Plate 2 Apertures
- 403 1 Gang MiniGrid[®] Unfurnished Plate 3 Apertures
- **404** 2 Gang MiniGrid[®] Unfurnished Plate 2 x 2 Apertures
- **406** 2 Gang MiniGrid[®] Unfurnished Plate 2 x 3 Apertures
- 426 2 Gang MiniGrid[®] Unfurnished Plate 6 In-Line Apertures

Architrave Unfurnished Plates - MiniGrid®

- 471 1 Gang MiniGrid[®] Unfurnished Architrave Plate - 1 Aperture
- 472 2 Gang MiniGrid® Unfurnished Architrave Plate - 2 Apertures

These plates must be used with the architrave back boxes WA671 / WA672 and can only be flush mounted.

Back Box Depth: Dependant on modules used Cable Size: Dependant on modules used Dimensions: 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm, Single architrave: 35mm x 88mm x 8mm Twin architrave: 35mm x 150mm x 8mm

Understanding the code:

DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts. AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

Standards: BS EN 60669 Back Box Depth: 16mm Minimum

Cable Size: 4 x 1.5mm² / 2 x 2.5mm² / 1 x 6mm² Maximum

Understanding the code:



Toggle Switches & Dimming





421







423

Switches





MD9125 Intermediate module available.

Satin Chrome & Stainless Steel plate finishes require the use of a Pearl Nickel (PN) Toggle Switch Module.

Toggle Switches

10AX Intermediate Toggle Switch Modules

421 10AX 1 Gang 2 Way Toggle Switch MD9125AB Intermediate Toggle Switch Module - Antique Brass 422 10AX 2 Gang 2 Way Toggle Switch MD9125BN Intermediate Toggle Switch Module - Black Nickel 423 10AX 3 Gang 2 Way Toggle Switch MD9125BR Intermediate Toggle Switch Module - Polished Brass 424

10AX 4 Gang 2 Way Toggle Switch MD9125CH Intermediate Toggle Switch Module - Polished Chrome MD9125PN Intermediate Toggle Switch Module - Pearl Nickel

Not interchangeable with dimmers or other MiniGrid® modules.

Standards: BS EN 60669 Back Box Depth: 25mm Minimum Cable Size: 2 x 2.5mm² / 4 x 1.5mm² Dimensions: 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm

Understanding the code:

DP - Plate Style BN - Plate Finish 536 - Product No.

AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

DECO PLUS

decor





ure

b15

DECO PLUS

b14









MINIGRID® Dimmer modules interchangeable with MiniGrid® Dimmers, please see page j36. For the complete range of MiniGrid® modules please see page j36. For the complete range of MiniGrid® modules please see our dedicated MiniGrid® section.

154

Dimmer Switches

- 140 1 Gang 2 Way 400Va Dimmer Switch
- 152 2 Gang 2 Way 400Va Dimmer Switch
- 153 3 Gang 2 Way 400Va Dimmer Switch
- 154 4 Gang 2 Way 400Va Dimmer Switch

We recommend the use of branded halogen lamps with all Deco Plus® dimmers. The use of inferior, non-branded lamps may require the nominal rating of the dimmer to be reduced. These dimmer switches have not been designed for use with LED lamps. However, they may be suitable for some good quality LED lamps. For further information please contact the Click* technical support team.

Standards: BS EN 60669, BS EN 55015 Type: Leading Edge

Back Box Depth: 25mm Cable Size: 2 x 1.5mm²

Dimensions: 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm

Understanding the code: DP - Plate Style BN - Plate Finish 536 - Product No.

AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.











152PL



153PL

140PL



185

PL plates only available in Satin Chrome & Polished Chrome The dimmer modules are supplied separately to the plates.

Dimmer Modules

MD9001	6A 2 Way Push On/Off (Non-
	Dimming) Module (25 x 62mm)
MD9010	1-10V Analogue Dimmer
	Module (25 x 62mm)
MD9022	250W 2 Way Dimmer Module
	(25 x 62mm)
MD9042	400W 2 Way Dimmer Module
	(25 x 62mm)
MD9014	100W Dual Mode Dimmer
	Module with Trim (26.5 x 55mm)

Unfurnished Dimmer Plates

186

-	140PL	1 Gang Dimmer Plate & Knob (650W Max) - 1 Aperture
m)	152PL	2 Gang Dimmer Plate & Knobs (800W Max) - 2 Apertures
	153PL	3 Gang Dimmer Plate & Knobs (1200W Max) - 3 Apertures
е	154PL	4 Gang Dimmer Plate & Knobs (1600W Max) - 4 Apertures
	185	1 Gang Dimmer Plate & Knob (630W or 1000W) - 1 Apertu
Э	186	2 Gang Dimmer Plate & Knobs (1630W Max) - 2 Apertures
	SP900	Dimmer M10 Nut Runner Tool
mm)		Use the nut runner to easily exchange dimmer

Maximum Wattage: 185: 1000W 186: 1630W Back Box Depth: Dependant on modules fitted Cable Size: 2 x 1.5mm²

Dimensions: 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm Dimmer Switch Module: 25 x 62 x 22mm

Understanding the code: DP - Plate Style BN - Plate Finish 536 - Product No.

AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.





Interchangeable Plates and Modules

MiniGrid[®] modules are interchangeable with pre-assembled plate switches or can be mounted into the unfurnished switch plates throughout the Deco Plus® range.

Standard MiniGrid[®] modules offer simple, single screw fixing to the yoke which greatly facilitates the assembly of up to 18 different switching functions on a single plate.







MiniGrid® modules are available in the same decorative finishes as the Deco Plus® range as well as white and black, so there are plenty of options available to suit your application.






 \supset

DECO PL

b18







MINIGRID® GR100 yokes are required to mount the MiniGrid® modules into prior to assembling the frontplate. See opposite page for yoke options.

2 Tier Unfurnished Plates c/w Gaskets - MiniGrid®

512 2 Tier MiniGrid[®] Unfurnished Plate - 12 Apertures

3 Tier Unfurnished Plates c/w Gaskets - MiniGrid®

518 3 Tier MiniGrid[®] Unfurnished Plate - 18 Apertures



Understanding the code:

DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts. AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



Example of yoke furnished with modules





WA512

WA518

Galvanised steel back boxes supplied for flush mounting of the large MiniGrid® plates. Mounting yoke facilitates pre-assembly of required modules. Fitted with twin earth terminals.

Yokes

GR100BK MiniGrid[®] Module Yoke - 6 Apertures - Black

GR100PW MiniGrid® Module Yoke - 6 Apertures - White

2 or 3 yokes are required based on the backbox selected.

Galvanised Steel Back Boxes

WA512 2 Tier 47mm Deep K.O. Box WA518 3 Tier 47mm Deep K.O. Box

Dimensions: 512: 137mm x 137mm 518: 137mm x 197mm







Power Socket Outlets, Fused Connection Units and Control Switches

• 13A WALL SOCKET OUTLETS

- ROUND PIN WALL SOCKET OUTLETS
- FUSED CONNECTION UNITS
- FAN ISOLATION SWITCHES
- DP SWITCHES

deco

With the ever increasing demand for power supplies in all areas of the

home, comes the problem of selecting and fitting outlets which blend harmoniously with the décor of the room in which they are to be fitted.

The seven different Deco Plus[®] plate finishes offer a solution for almost every possible design need and will enhance the décor of any area, whether in a kitchen, bedroom, lounge or study etc.



DECO PLUS

b22



039






571

836





70



038 5A Round Pin Socket039 2A Round Pin Socket

Ingot Switched Socket Outlets

535 13A Ingot 1 Gang DP Switched Socket536 13A Ingot 2 Gang DP Switched Socket

Ingot Switched Sockets With USB Outlet

571 13A Ingot 1 Gang Switched Socket With 2.1A USB Outlet
570 13A Ingot 2 Gang Switched Sockets With 2.1A USB Outlet (Twin Earth)

Ingot Switched Socket Outlets With Outboard Rockers

836 13A Ingot 2 Gang DP Switched Socket With Outboard Rockers (Twin Earth)

Standards: 038,039: BS 546 535,536,836: BS 1363 570,571: BS1363, BS5733, BS60950-1, EN61000-6-1, EN 61000-6-3 Back Box Depth: 25mm Minimum 571: 35mm Cable Size: 2A: 2 x 2.5mm² / 3 x 1.5mm² 5A: 2 x 2.5mm² / 3 x 1.5mm² 13A: 4 x 2.5mm² / 2 x 4m²

Dimensions: 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm

Understanding the code:

DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts. AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



024

0

061





100

Deco Plus® dual voltage shaver outlets incorporate a double wound isolating transformer rated 20Va at 230V or 115V and meets BS EN 61558-2-5: 1998, making it safe for use in bathrooms.

Shaver outlet is not continuously rated and therefore not suitable for use as a permanent charging outlet.

-

20A DP Sink/Bath Switch

024 20A DP Sink/Bath Switch With Neon

Blank Plates

060 1 Gang Blank Plate

061 2 Gang Blank Plate

Dual Voltage Shaver Socket

100 115/230V Dual Voltage Shaver Socket

Standards: 024: BS EN 60669 100: BS EN 61558

Back Box Depth: 024: 25mm min 100: 47mm min. Cable Size: 024: 3 x 2.5mm² 100: 2 x 1.5mm² / 1 x 2.5mm² Dimensions: 1 Gang: 88mm x 88mm x 8mm 2 Gang: 148mm x 88mm x 88mm

Understanding the code:





b24





550



552

















Ingot Fused Connection Units With Optional Flex Outlet

- 550 13A Ingot Fused Connection Unit
- 13A Ingot DP Switched Fused Connection Unit 551
- 552 13A Ingot DP Switched Fused Connection Unit With Neon
- 553 13A Ingot Fused Connection Unit With Neon

Ingot Fused Connection Units Without Flex Outlet

- 750 13A Ingot Fused Connection Unit
- 751 13A Ingot DP Switched Fused Connection Unit
- 752 13A Ingot DP Switched Fused Connection Unit With Neon
- 753 13A Ingot Fused Connection Unit With Neon

Standards: BS 1363 and BS 1362 (fuse) Back Box Depth: 25mm Minimum Cable Size: 3 x 2.5mm² or 2 x 4mm² Dimensions: 1 Gang: 88mm x 88mm x 8mm

Understanding the code: DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts. AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

CLICK'

Standards: BS 1363 and BS 1362 (fuse) Back Box Depth: 25mm Minimum Cable Size: 3 x 2.5mm² or 2 x 4mm² Dimensions: 1 Gang: 88mm x 88mm x 8mm





ECO PL

 \bigcap

b26







C

8



3 Pole and 20A DP Switches are non-modular

e

Ingot Fan Isolation Switch

- 520 10A Ingot 3 Pole Fan Isolation Plate Switch
- 523 20A Ingot DP Switch With Neon

Ingot 20A Control Switches Without Flex Outlet

Ingot 20A Control Switches With Optional Flex Outlet

722 20A Ingot DP Switch

522 20A Ingot DP Switch

723 20A Ingot DP Switch With Neon

Standards: BS EN 60669 Back Box Depth: 25mm Minimum Cable Size: 20A DP: 4 x 2.5mm² 10A 3P: 1 x 2.5mm²/2 x 1.5mm² Dimensions: 1 Gang: 88mm x 88mm x 8mm

Understanding the code:

DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts. AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.





501









505

Ingot 45A Switches And Socket Outlets

- 500 45A Ingot 1 Gang DP Switch
- 501 45A Ingot 1 Gang DP Switch With Neon
- 502 45A Ingot 2 Gang DP Switch
- 503 45A Ingot 2 Gang DP Switch With Neon
- 504 45A Ingot 2 Gang DP Switch With 13A DP Switched Socket
- 505 45A Ingot 2 Gang DP Switch With 13A DP Switched Socket & Neons

Standards: BS EN 60669, BS 4177 Back Box Depth: 35mm Minimum Cable Size: 45A: 1 x 16mm² Dimensions: 1 Gang: 88mm x 88mm x 8mm 2 Gang: 148mm x 88mm x 8mm

Understanding the code:

DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts. AB Antique Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

CLICK[®] WIRING ACCESSORIES

Television, Telephone and Data Sockets

- RJ11 OUTLET
- UK TELEPHONE OUTLETS
- SATELLITE SOCKET OUTLETS
- COAXIAL SOCKETS

The following pages contain details of Deco Plus[®] products designed to deal with handling data and media transfer through telephone, computer, television or radio.

As well as the finished products please also find details of unfurnished mounting plates designed to accept custom selections of New Media[™] modules from our dedicated modules brochure.







DECO PLUS

b31

115





121 / 126





158 / 065



156





157 / 170

Twin outlets are 2 separate sockets and are not internally linked together.

RJ11 Data Outlet

115 Single RJ11 (Irish/US) Outlet

Telephone Outlets

- 120 Single Telephone Outlet Master
- 121 Twin Telephone Outlet Master
- **125** Single Telephone Outlet Secondary
- **126** Twin Telephone Outlet Secondary

Isolated outlets will filter out any interference.

If a 2 way signal is required, i.e. for use with satellite hard wire extensions, then a non-isolated outlet is required.

Non-Isolated Coaxial Outlets (Unshielded)

```
065 Single Coaxial Outlet
066 Twin Coaxial Outlet
```

Isolated Coaxial Outlets (Unshielded)

158 Single Isolated Coaxial Outlet

159 Twin Isolated Coaxial Outlet

Satellite Outlets (Unshielded)

- 156 Non-Isolated Single Satellite Outlet
- 157 Isolated Satellite & Isolated Coaxial Outlet
- 170 Non-Isolated Satellite & Non-Isolated Coaxial Outlet

Back Box Depth: 16mm Minimum Termination Type: IDC Dimensions: 1 Gang: 88mm x 88mm x 8mm

Understanding the code:

DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts. AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

Back Box Depth: 16mm Minimum Dimensions: 1 Gang: 88mm x 88mm x 8mm

Understanding the code:

Θ

b33

DECO PLUS

neu. "

Solutions for media cabling

Selecting from a range of module inserts covering all manner of media transfer, installers will now be able to configure



The New Media[™] range provides the installer with









All plates supplied with black and white gaskets where applicable. Above are some examples of New Media[™] modules we offer, please see our dedicated New Media[™] section for more information on the range of modules available.

Unfurnished Plates - New Media"

- 310 1 Gang New Media[™] Unfurnished Plate - 1 Aperture
- 311 1 Gang New Media[®] Unfurnished Plate - 2 Apertures
- 312 2 Gang New Media[®] Unfurnished Plate - 4 Apertures

Back Box Depth: 310, 311, 312: dependant on module used. ions: 1 Gang: 88mm x 88mm x 8mm 2 Gang: 148mm x 88mm x 8mm

Understanding the code:







WA370



Surface Mounting Boxes - Metal Clad Grey

MCP085	1 Gang 40mm Deep Mounting Box
MCP086	2 Gang 40mm Deep Mounting Box

Galvanised Boxes

WA370	1 + 1 35mm Deep Dual Accessory Box (Deco® Range Only)
WA375	1 + 2 35mm Deep Dual Accessory Box (Deco® Range Only)
WA671	1 Gang 25mm Deep Architrave Box With 60.3mm Hole Centres
WA672	2 Gang 25mm Deep Architrave Box With 120.6mm Hole Centres

CLICK'