




moulded wiring accessories

Including round & square edge, Neo slimline and Part M ranges

2 Features & Finishes


Screw covers for sleek appearance



Flush power LED & inlaid red rocker indicator




Angled in-line colour coded captive terminals



Modern slim profile

Twin Earth

Features for round profile White Moulded



Switches	3
Sockets	3
45 Amp Switches	8
20/32 Amp Switches	8
Shaver Sockets	9
Dimmers	10
Co-ax & Satellite	11
Telephone & Data	12
Blank Plates	13
Accessories	13
Neo Slimline	15
Part M	21



Round Edge



Square Edge



Neo Slimline



Part M

*25/30 Year Guarantee on selected products. *25 year guarantee not applicable on USB sockets
See the BG website for full terms and conditions.


Features & Finishes Neo Slimline

Concealed fixing screws

Wide rockers

Easy Installation

Reliable LED indicators



Slim profile clip-on covers



Switches	16
45 Amp Switches	16
Sockets	17
20 Amp Switches	17
Dimmer	18
Fan Controller	18
Co-ax & Satellite	18
Telephone & Data	18
Blank Plates	18
USB Chargers	19
Key Card Switch	19
Euro Module Plates	20

The Neo Slimline range is available in five attractive finishes




Silver

Champagne

Pearl White

White



Switches	22
Sockets	22
Double Pole Switch	23
FCUs	23
45 Amp Switches	23
Pull Cords	23
Ceiling Switch	24
Euro Modules Front Plates	24
Grid Front Plates	25

Building Regulations 2000, Approved Document (Part M) – Access to and the use of buildings.


Part M is split into 4 sections, part M1 – Access and use, includes the facilities within a building, and covers the design considerations of electrical accessories such as switches and sockets.

The BG Electrical Part M range offers a wide range of suitable solutions to enable compliance to the requirements of Part M1 (Sections 4.25 to 4.29).

Grid - Range Extension

A customisable selection of power grid modules that provide a seamless appearance with the associated wiring accessories.

- Firstly, screw the grid frame to the mounting box and wire the modules
- Then slot the module on to the frame and click into place
- Finally, fit the finished plate



For full information see our [Nexus Grid range](#)



13A Socket with 2x USB Outlets

Modern gadgets demand high power to charge. BG's new USB socket has an output of 2.1A (5V) shared across the two outlets - suitable for charging iPad, iPhone, tablets, mobiles, cameras and more.

As well as being practical, the sockets are easy to install featuring angled inline colour coded captive terminals, twin earth as standard and they easily retrofit into 25mm wall boxes.

Smart USB

- Standby mode when device is fully charged
- Auto detects USB device & adjusts charging pattern to suit
- Protects the device in the event of an overload